







## PRESSURE RELIEF VALVES

Taylor Valve Product	SERIES	DESCRIPTION	COMPETITOR	BENEFITS
	<b>1500</b>	Conventional Spring Operated Relief Valve	Farris — 2700 Consolidated — 19000 Crosby — OMNI LESER — 437 REYCO — RL	<ul style="list-style-type: none"> <li>• Available NACE options</li> <li>• Full Nozzle</li> <li>• High Temperature option</li> <li>• Single design handles Air, Gas/ Vapor, Steam &amp; Liquid service</li> </ul>
	<b>2500</b>	Conventional and Bellows Spring Operated Relief Valve	Farris — 2600 Consolidated — 1900 Crosby — J LESER — 526 REYCO — R	<ul style="list-style-type: none"> <li>• Available with NACE, Bellows, Test Gags, Lift Lever Options</li> <li>• Adjustable blowdown</li> <li>• High Temperature option</li> <li>• Severe service options</li> <li>• Full nozzle</li> <li>• Interchangeable disc for metal and soft seat options</li> </ul>
	<b>19BV</b>	Balanced Spindle Design Relief Valve	Anderson Greenwood — 81P Farris — 2700 Flowsafe — F88	<ul style="list-style-type: none"> <li>• Soft seat for reliable, leak free performance to 90% of set pressure</li> <li>• Easy repair and maintenance</li> <li>• Optimized design operates without chatter or intricate seals.</li> <li>• ASME certified in accordance to Sec XIII Div I for air/gas and liquid service</li> <li>• NPT threaded and flanged connections</li> </ul>
	<b>8400</b>	Angled Body Threaded Vapor Valve	Wellmark — 1392	<ul style="list-style-type: none"> <li>• Both 1" and 2" available</li> <li>• Available in SS body</li> <li>• Wide 2 oz to 15 psig set pressure range</li> </ul>
	<b>8250</b>	Conventional Spring Operated Valve	Mercer — 9100 WNS — 2500 BMD — R10 Wellmark — 2600	<ul style="list-style-type: none"> <li>• Original Self-Aligning Technology®</li> <li>• Excellent for Air, Gas or Liquid relief applications</li> <li>• ASME certified in accordance to Sec XIII Div I. for air/gas and liquid service</li> </ul>
 SNAP MODULATING	<b>9300</b>	Pilot Operated Relief Valve	Mercer — 9500 Farris — 3800 Anderson Greenwood — 200/400 LESER — 810/820 Consolidated — 2900/3900	<ul style="list-style-type: none"> <li>• Easily Adjusted</li> <li>• Low Maintenance Cost</li> <li>• API 526 Dimensions</li> <li>• Built-in Field Test Port &amp; Back Flow Preventor</li> <li>• Durable, Rugged Mounting of Pilot</li> <li>• For Air, Gas, Vapor, Liquid and most mixed phase services.</li> </ul>



1500



2500



19BV



8400



8250



9300-Snap



9300-Mod.